

# EXTREM V

ONE VEHICLE . MULTI-PURPOSE . ALL TERRAIN



# EXTREM V

The ExtremV shares the same lineage as the highly successful Bronco family of All Terrain Tracked Carriers. Designed for versatility and reliability, this multi-tasker can carry high rear payloads and be used as a personnel, logistics, and equipment transporter in extreme conditions, from harsh arctic to forest fires, for disaster relief and rescue operations.



Mobile Command Post



Search and Rescue (SAR)



Ambulance



Disaster Relief

Our unique features include the following:

- Best-in-class terrain accessibility; one vehicle to tackle all terrains
- Modular payload versatility; one vehicle with multiple uses
- Crew comfort and safety; rollover protection system and intuitively designed interior ergonomics
- Green mobility; Commercial-off-the-shelf (COTS) power pack in a compact body



Intuitively Designed Interior Ergonomics



Compact COTS Power Pack



Brush Guard & Winch (Optional)



Articulation Unit For Steering

## VERSATILE DROP-IN REAR MODULES



Rear Cabin



Flatbed




Hooklift System




Fire Fighter

## EXTREMV PERFORMANCE AND SPECIFICATIONS




**Maximum Gradeability : 100%**



**Turning Radius**



**Maximum Side Slope : 70%**



**Trench Crossing**

Maximum Vertical Obstacle 0.6m

## GROUND PRESSURE COMPARISON



Mountain Bike  
275kPa (40psi)



Average Human  
110kPa (16psi)



ExtremV  
17kPa (2.5psi)

ALL TERRAIN	TECHNICAL SPECIFICATIONS (Baseline Configuration)		
Desert  Snow  Muddy Ground  Alpine	<b>Dimensions</b>	Length	7.6m
		Width	2.3m
		Height	2.4m
	<b>Performance</b>	Maximum Speed	60km/h
		Gradeability	100%
		Side Slope	70%
		Vertical Obstacle	0.6m
		Trench	2m
		Engine Power	200hp
		Transmission	Auto 8 Forward 1 Reverse
		Steering	Hydraulic Articulated
		Turning Radius	7m
		Ground Pressure	17kPa
	Operating Temperature	-30°C to 49°C	
	Maximum Range	350km	
	Amphibious	Yes (inland)	
Front Cabin	1 Driver, 3 Passengers		
<b>Vehicle Weight</b>	Kerb Weight	6,000kg	
	Payload	4,000kg	
	Gross Vehicle Weight	10,000kg	

Note: Specifications are subject to change by the manufacturer without prior notice. Pictures shown are for illustration purposes only, actual product may vary.



**ST Engineering Land Systems Ltd**  
249 Jalan Boon Lay,  
Singapore 619523

For more information on product:  
[www.stengg.com](http://www.stengg.com) or contact  
[mktg.landsystems@stengg.com](mailto:mktg.landsystems@stengg.com)

